

	Type	L #	Hits	Search Text
1	BRS	L3	282	(front adj opening adj interface adj mechanical adj standard) or fims
2	BRS	L4	280	(front-opening adj interface adj mechanical adj standard) or fims
3	BRS	L5	276	(frontopening adj interface adj mechanical adj standard) or fims
4	BRS	L6	282	3 4 5
5	BRS	L7	635	(front adj opening adj unified adj pod) or foup
6	BRS	L8	613	(front-opening adj unified adj pod) or foup

	DBs	Time Stamp	C o r d i n a t e s	E r r o r s
1	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:08		0
2	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:08		0
3	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:08		0
4	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:08		0
5	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:09		0
6	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:09		0

	Type	L #	Hits	Search Text
7	BRS	L9	608	(frontopening adj unified adj pod) or foup
8	BRS	L10	635	7 8 9
9	BRS	L11	52	6 and 10
10	BRS	L14	3	(foup or fims) and (((retro\$ or ancillary or add-on or addon) near7 (sensor\$1 or detector\$1 or transducer\$1 or measurement or diagnostic)))
11	BRS	L15	135	(semiconductor\$1 or wafer\$1).ti,ab. and (((retro\$ or ancillary or add-on or addon) near7 (sensor\$1 or detector\$1 or transducer\$1 or measurement or diagnostic)))
12	BRS	L16	115	(semiconductor\$1 or wafer\$1) with ((sensor\$1 or detector\$1 or transducer\$1 or measurement or diagnostic)) adj (pod\$1 or cartridge\$1 or cassette\$1 or box\$3 or carrier\$1 or chamber\$1 or loadlock)

	DBs	Time Stamp	C o r d i n a t e s	E r r o r D e f i n i t i o	Errors
7	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:09		0	
8	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:09		0	
9	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:10		0	
10	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:23		0	
11	USPAT; US-PGPUB ; EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:25		0	
12	EPO; JPO; DERWENT; IBM_TDB	2004/09/22 07:27		0	

	Type	L #	Hits	Search Text
13	BRS	L17	179	(semiconductor\$1 or wafer\$1) with (((sensor\$1 or detector\$1 or transducer\$1 or measurement or diagnostic)) adj (pod\$1 or cartridge\$1 or cassette\$1 or box\$3 or carrier\$1 or chamber\$1 or loadlock))

	DBs	Time Stamp	C o r d i n a t i o n s	E r r o r D e f i n i t i o	Errors
13	USPAT; US-PGPUB	2004/09/22 07:29		0	